

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	5519	327/158,146,149,153,155,161,192,206,207,210,214,224,147,156,157". ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 08:22
L3	412	2 and (delay with adjust\$4 with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:26
L4	66	3 and ((plurality or multi or multiple) near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 08:24
L5	39	4 and (voltage with select\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:06
L6	87	delay with adjust\$3 with transistor with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:07
L7	81	delay with adjust\$3 with transistor with threshold with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:26
L8	3552	375/354.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:26
L9	21	8 and (delay with adjust\$4 with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:26



## EAST Search History

S1	5669	tim\$3 near2 adjust\$4 near2 device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:42
S2	7503	tim\$3 near2 adjust\$4 near2 (device or apparatus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 09:54
S3	0	S2 and ((multiple or plurality or multiple or multi) near3 adjust\$4 near2 volatge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:46
S5	1983	tim\$3 adjust\$4 with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 09:57
S6	121	S5 and (volt\$3 select\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 09:58
S7	45	S6 and (transistor with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:18
S8	2	S7 and delay adjust\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 09:59
S10	76	S6 not S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:19



## EAST Search History

S11	693	delay near3 tim\$3 near2 adjust\$4 near2 device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:42
S17	7	S2 and ((multiple or plurality or multiple or multi) near3 adjust\$4 near2 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:53
S18	1	S11 and ((multiple or plurality or multiple or multi) near3 adjust\$4 near2 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:47
S19	107	S2 and ((multiple or plurality or multiple or multi) near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:55
S20	1573	((integrated circuit) or ic) and delay time and tim\$3 adjust\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:56
S21	826	S20 and (delay\$3 near3 tim\$3 near3 adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:57
S22	72	S21 and ((plurality or multiple or multi) near4 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:58
S23	31	S22 and (transistor with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:24



## EAST Search History

S24	2	delay with adjustment with transistor with threshold with (change or (increase or decrease)) with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:27
S25	232	delay with transistor with threshold with (change or (increase or decrease)) with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:28
S26	1	S23 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:29
S27	1	S11 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:29
S28	2	S1 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:30
S29	3	S2 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:41
S30	7	S25 and (delay adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:44
S31	2	"6192092".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:46



## EAST Search History

S32	1	clock skew\$3 compensator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:46
S33	118	clock skew\$3 compensat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:46
S34	3	S33 and (transistor with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:08
S35	7121	375/354-360.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:19
S36	705	S35 and (delay with adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:19
S37	705	S35 and ((delay with adjust\$4) or (clock iwth compensat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:20
S39	48	S37 and ((plurality or multiple or multi) with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:36
S40	3	S39 and (transistor with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:22



## EAST Search History

S41	45	S39 not S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:55
S44	2	S41 and Isi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:58
S45	0	10/811361	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:05
S46	1	10/875689	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:06
S47	1	10/875690	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:09
S48	1	10/875715	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:17
S49	3282	327/141,144,146,149,153,155,161. cccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:19
S51	25	S49 and (transistor with threshold with delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:36



## EAST Search History

S52	4	S51 and ((pluralit\$3 or multi or multiple) near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:22
S53	21	S51 not S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:36
S54	2	"6192092".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:21
S55	4069	(generat\$3 with voltage\$1 with (plurality or multiple or multi)) same adjust\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:23
S56	790	S55 and (tim\$3 near3 adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:23
S57	169	S55 and ((tim\$3 near3 adjust\$4) with delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:24
S58	52	S57 and (volt\$3 near3 select\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:34
S59	10	S58 and (delay adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 13:29



## EAST Search History

S60	3	"6603340".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 13:29
S61	11	("5130582"   "5175512"   "5412349"   "5453709"   "5559476"   "5880579"   "5889439"   "6060930"   "6262616").PN. OR ("6603340").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/07/24 13:34
S62	4	S61 and (delay with adjust\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/07/24 13:37
S63	9	S61 and (delay)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/07/24 13:34
S64	5	S63 not S62	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/07/24 13:40
S65	18371	delay with control\$4 with voltage	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/07/24 13:40
S66	819	S65 and (delay adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 13:41
S67	428	S66 and integrated circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 13:42
S68	267	S67 and (voltage with generat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 13:42
S69	110	S68 and (select\$3 with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 13:43



## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	5519	327/158,146,149,153,155,161,192,206,207,210,214,224,147,156,157". ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 08:22
L3	412	2 and (delay with adjust\$4 with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:26
L4	66	3 and ((plurality or multi or multiple) near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 08:24
L5	39	4 and (voltage with select\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:06
L6	87	delay with adjust\$3 with transistor with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:07
L7	81	delay with adjust\$3 with transistor with threshold with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:58
L8	3552	375/354.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:26
L9	21	8 and (delay with adjust\$4 with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:26



## EAST Search History

L10	700681	integrated circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:58
L13	2195	10 and delay adjust\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:59
L14	150	13 and ((average or mean) near4 delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 10:48
L15	58	(transistor near3 well) with delay with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 10:49
L16	1	(transistor near3 well) with delay with voltage with apply	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 10:49
L17	17	15 and (delay near3 adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 10:50
L18	2	"5251172".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 12:18
L19	1	18 and well	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 12:19



## EAST Search History

L23	1	19 and (delay with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 12:20
L36	13	transistor with (well near3 bias) with voltage with delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 13:20
L41	1	"5912591".pn. and (bias same delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 13:22
L42	1	"5912591".pn. and (bias with delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 14:09
L43	1	10/809374	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 14:09
S1	5669	tim\$3 near2 adjust\$4 near2 device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:42
S2	7503	tim\$3 near2 adjust\$4 near2 (device or apparatus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 09:54
S3	0	S2 and ((multiple or plurality or multiple or multi) near3 adjust\$4 near2 volatge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:46



## EAST Search History

S5	1983	tim\$3 adjust\$4 with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 09:57
S6	121	S5 and (volt\$3 select\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 09:58
S7	45	S6 and (transistor with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:18
S8	2	S7 and delay adjust\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 09:59
S10	76	S6 not S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:19
S11	693	delay near3 tim\$3 near2 adjust\$4 near2 device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:42
S17	7	S2 and ((multiple or plurality or multiple or multi) near3 adjust\$4 near2 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:53
S18	1	S11 and ((multiple or plurality or multiple or multi) near3 adjust\$4 near2 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:47



## EAST Search History

S19	107	S2 and ((multiple or plurality or multiple or multi) near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:55
S20	1573	((integrated circuit) or ic) and delay time and tim\$3 adjust\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:56
S21	826	S20 and (delay\$3 near3 tim\$3 near3 adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:57
S22	72	S21 and ((plurality or multiple or multi) near4 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:58
S23	31	S22 and (transistor with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:24
S24	2	delay with adjustment with transistor with threshold with (change or (increase or decrease)) with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:27
S25	232	delay with transistor with threshold with (change or (increase or decrease)) with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:28
S26	1	S23 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:29



## EAST Search History

S27	1	S11 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:29
S28	2	S1 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:30
S29	3	S2 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:41
S30	7	S25 and (delay adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:44
S31	2	"6192092".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:46
S32	1	clock skew\$3 compensator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:46
S33	118	clock skew\$3 compensat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:46
S34	3	S33 and (transistor with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:08



## EAST Search History

S35	7121	375/354-360.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:19
S36	705	S35 and (delay with adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:19
S37	705	S35 and ((delay with adjust\$4) or (clock iwth compensat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:20
S39	48	S37 and ((plurality or multiple or multi) with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:36
S40	3	S39 and (transistor with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:22
S41	45	S39 not S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:55
S44	2	S41 and Isi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:58
S45	0	10/811361	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:05



## EAST Search History

S46	1	10/875689	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:06
S47	1	10/875690	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:09
S48	1	10/875715	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:17
S49	3282	327/141,144,146,149,153,155,161. cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:19
S51	25	S49 and (transistor with threshold with delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:36
S52	4	S51 and ((pluralit\$3 or multi or multiple) near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:22
S53	21	S51 not S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:36
S54	2	"6192092".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:21



## EAST Search History

S55	4069	(generat\$3 with voltage\$1 with (plurality or multiple or multi)) same adjust\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:23
S56	790	S55 and (tim\$3 near3 adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:23
S57	169	S55 and ((tim\$3 near3 adjust\$4) with delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:24
S58	52	S57 and (volt\$3 near3 select\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:34
S59	10	S58 and (delay adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 13:29
S60	3	"6603340".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 13:29
S61	11	("5130582"   "5175512"   "5412349"   "5453709"   "5559476"   "5880579"   "5889439"   "6060930"   "6262616").PN. OR ("6603340").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/07/24 13:34
S62	4	S61 and (delay with adjust\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/07/24 13:37
S63	9	S61 and (delay)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/07/24 13:34
S64	5	S63 not S62	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/07/24 13:40



## EAST Search History

S65	18371	delay with control\$4 with voltage	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/07/24 13:40
S66	819	S65 and (delay adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 13:41
S67	428	S66 and integrated circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 13:42
S68	267	S67 and (voltage with generat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 13:42
S69	110	S68 and (select\$3 with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 13:43